

**List of all Pending Claims**

1. (Currently amended) A method for providing a personalized user environment on a computing system, the method comprising the following step:
  - (a) upon detection of user-supplied storage media, running a profile configuration program, the profile configuration program performing the following substeps:
    - (a.1) obtaining profile information stored on the user-supplied storage media, wherein the profile information is passwords for various Internet sites,
    - (a.2) temporarily installing the profile information on the computing system, and
    - (a.3) detecting user interactions that result in changes to the profile information temporarily installed on the computing system in substep (a.2); and,
    - (a.4) using the changes to update the profile information stored on the storage media.
2. (Claim 2 is canceled)
3. (Original) A method as in claim 1 wherein in step (a) the following step is performed before performing substep (a.1):
  - obtaining a password from the user; and,
  - verifying the password.
4. (Original) A method as in claim 1 wherein substep (a.2) includes the following substep:
  - installing the profile information on a random access memory (RAM) drive within memory of the computing system.
5. (Original) A method as in claim 1 wherein substep (a.2) includes the following substep:
  - temporarily installing the profile information on a hard drive within the computing system.

6. (Claim 6 is canceled.)

7. (Previously presented) A method as in claim 1 wherein substep (a.4) is performed during a user session on the computing system as the changes occur.

8. (Previously presented) A method as in claim 1 wherein substep (a.4) is performed after completion of a user session on the computing system.

9. (Currently amended) A method for providing a personalized user environment on a computing system, the method performed by a profile configuration program, the method comprising the following step:

- (a) obtaining profile information stored on user-supplied storage media, wherein the profile information is passwords for various Internet sites; and,
- (b) temporarily installing the profile information on the computing system;
- (c) detecting user interactions that result in changes to the profile information temporarily installed on the computing system in step (b); and
- (d) using the changes to update the profile information stored on the storage media.

10. (Claim 10 is canceled)

11. (Original) A method as in claim 9 additionally comprising the following step performed before step (a):

- obtaining a password from the user; and,
- verifying the password.

12. (Original) A method as in claim 9 wherein step (b) includes the following substep:  
installing the profile information on a random access memory (RAM) drive within memory of the computing system.

13. (Original) A method as in claim 9 wherein step (b) includes the following substep:

temporarily installing the profile information on a hard drive within the computing system.

14. (Please cancel claim 14)

15. (Previously presented) A method as in claim 9 wherein step (b) is performed during a user session on the computing system as the changes occur.

16. (Previously presented) A method as in claim 9 wherein step (b) is performed after completion of a user session on the computing system.

17. (Currently amended) A computing system comprising:  
a storage media reader and writer; and,  
a profile configuration program for providing a personalized user environment on the computing system, wherein upon detection of user-supplied storage media being read by the storage media reader and writer, the profile configuration program obtains profile information stored on the user-supplied storage media, and temporarily installs the profile information on the computing system, wherein

profile configuration program also detects user interactions that result in changes to the profile information temporarily installed on the computing system and uses the changes to update the profile information stored on the storage media, and wherein

the profile information is passwords for various Internet sites.

18. (Original) A computing system as in claim 17 wherein the profile configuration program installs the profile information on a random access memory (RAM) drive within memory of the computing system.

**Please Expedite** - Response to Final Office Action

19. (Original) A computing system as in claim 17 wherein the profile configuration program temporarily installs the profile information on a hard drive within the computing system.

20. (Please cancel claim 20.)